



&



### Working with an internationally prestigious brand

**REALSTAR** has been focused on meeting the equipment need of the dry-cleaning and laundry for more than 40 years.

In order to satisfy the continuous and growing demand of Laundry Equipments, **REALSTAR** has founded a new division that take the name of **AQUASTAR**, that can supply a complete series of laundry for Industrial plant, Hospital, Hotels and Laundromat

**REALSTAR** et **AQUASTAR** are the perfect partner for professional carrying out comprehensive projects for global clients; a prestigious company offering quality products and competitive pre-and post-sales service.

### A solution for every customer

It doesn't matter how large or small your business is or what your requirements are: **AQUASTAR** can cater for them perfectly and provide you with a specific solution for every need.

We offer much more than just equipment sales: we offer all-round comprehensive Laundry Solutions.

Our range of washing, drying and ironing machines consists of state-of-the-art models designed for establishments of all kinds, from large hotel chains to small businesses, with a significant market presence in areas such as hospitals and health centres, industrial laundries, Coin-op and Equestrian laundries.



Dry-Cleaning Machines



Coin-op Laundry



Hospital Laundry



Equestrian Laundry





## PROFESSIONAL HIGH-SPIN Washer Extractor and Dryer: WH-TC2 + ES-P

Perfect to be installed in small restaurant, camping, beauty centre, hairdresser or barber shops,... the **AQUASTAR WH+ES-P Series**, assures high quality results and professional equipment reliability maintaining the compact dimension of the domestic equipment.

The washing machine **WH** and the tumble dryer **ES-P** are both equipped with a smart and reliable structure!

Washing machine and tumble dryer were designed to be complementary: the dryer can be installed next to the washing machine or stacked on it.

### Great Performance, 100% customer satisfaction!

#### A lot of available programs:

on the washing machine and on the tumble dryer. The list can be scrolled on the display, once the wished program is displayed it is possible to start it.

#### Special washing machine drum structure:

to grant an efficient washing cycle treating the linen with the maximum care.

Special linen movement: thanks the drum back angled edge and the lifter action, the linen is always moved to the drum central area.

#### Safe and uniform drying:

thanks to the particular linen movement inside the drum and thanks to the residual humidity control.

#### Easy-installation:

washing machine and tumble dryer do not need any particular device to be installed. Both the machines are available in more versions to suit this equipment to any installation.

#### Stackable:

the dryer can be installed on the washing machine to save room.



### Ergonomics, Safety and Saving

#### HIGH SPIN WASHER EXTRACTOR model: WH 8 and WH 10

##### FLEXIBILITY

Available in two version, one equipped with drain pump and one equipped with drain valve, the new **WH** washing machine easily suit to any kind of installation.

##### RELIABILITY

It was designed thinking to a professional use, this washing machine is able to run thousands cycles.

##### QUALITY

Washing high quality and maximum care in the linen treatment are granted by the special drum structure: it is divided into three areas, the one in the centre with reduced diameter hole for a gentle cleaning, one area on the front and one on the back of the drum with larger holes to make easier the drain.

The lifters action, together with the angled back edge of the drum, help the linen to move to the gentle area, so the linen wear and tears is reduced.

#### TUMBLE DRYER model: ES-P 8 and ES-P 10

##### FLEXIBILITY

Available in two version, one equipped with condenser and one with external exhaust, the **ES-P** tumble dryer easily suit to any kind of installation.

##### RELIABILITY

It was designed thinking to a professional use, the tumble dryer drum, is in galvanized steel.

##### QUALITY

The butterfly system maintains the linen in a continuous movement, so the linen is uniformly dried.

The residual humidity control avoids an excessive drying of the linen, which are treated with the maximum care.



**Both the WH series washing machine and the ES-P dryer are available with electronic coin mechanism for Self-Service use**



## Professional Machines Series : WH-TC2

		WH 8 TC EV	WH 8 TC EP	WH 10 TC EV	WH 10 TC EP
<b>DRUM</b>		<b>Valve</b>	<b>Pump</b>	<b>Valve</b>	<b>Pump</b>
Load Capacity	Kg	8	8	10	10
Drum Volume	Lt	80	80	100	100
Basket diameter	∅	532	532	532	532
Depth basket	mm	360	360	425	425
Washing Speed	G/min	50	50	50	50
Extraction Speed	G/min	1250	1250	1250	1250
"G" Factor		450	450	450	450
Noise Level	Db	60	60	60	60
<b>LOADING DOOR</b>					
Height Center door	mm	537	537	537	537
Door diameter	∅	373	373	373	373
<b>POWER</b>					
Motor power	Kw	0,75	0,75	0,75	0,75
Electric Heating	Kw	6	6	6	6
Total Power for ELECTRIC Version	Kw	6,25	6,25	6,25	6,25
Total Power for STEAM Version	Kw	-----	-----	-----	-----
Total Power for HOT WATER Version	Kw	0,75	0,75	0,75	0,75
<b>CONNECTIONS</b>					
Drain water	∅	Valve 2"	Pump 1"	Valve 2"	Pump 1"
Water inlet	∅	3/4"	3/4"	3/4"	3/4"
Water Pressure	Bar	2 ÷ 4	2 ÷ 4	2 ÷ 4	2 ÷ 4
Steam Inlet (only for STEAM Version)	∅	-----	-----	-----	-----
<b>MACHINE DIMENSIONS</b>					
Front Width	mm	680	680	680	680
Depth	mm	698	698	742	742
Height	mm	1040	1040	1040	1040
Net Weight	Kg	140	140	150	150
<b>MACHINE DIMENSIONS with PACKING</b>					
Front Width	mm	710	710	710	710
Depth	mm	832	832	832	832
Height	mm	1130	1130	1130	1130
Gross Weight	Kg	150	150	160	160
Volume	mt3	0,49	0,49	0,49	0,49



## Professional Dryers *Series* : **ES-P**

		ES-P 08 E	ES-P 10 E
<b>DRUM</b>			
Load capacity	Kg	8	10
Drum volume	Lt	160	200
Drum diameter	∅	590	590
Drum depth	mm	585	690
Noise Level	Db	60	60
<b>LOADING DOOR</b>			
Height Center door	mm	545	545
Door diameter	∅	588	588
<b>POWER</b>			
Motor	Kw	0,37	0,37
Electric Elements	Kw	7,5	7,5
Electric power	Kw	7,87	7,87
<b>CONNECTIONS</b>			
Air extraction diameter	∅	100 mm	100 mm
Fan extraction	mt/3	105	105
<b>MACHINE DIMENSIONS</b>			
Front Width	mm	680	680
Depth	mm	698	742
Height	mm	1040	1040
Net Weight	Kg	68	72
<b>MACHINES DIMENSIONS with PACKING</b>			
Front width	mm	710	710
Depth	mm	832	832
Height	mm	1130	1130
Gross weight	Kg	78	82
Volume	mt3	0,49	0,49